

## PORTUGAL

A dog that has been imported from or has travelled to Portugal may be infected with the following vector-borne pathogens:

PROTOZOA (MONOCELLULAR ORGANISMS)	BACTERIA	HELMINTHS (WORMS)
Leishmania infantum Babesia vogeli Hepatozoon canis	Ehrlichia canis Anaplasma platys Rickettsia spp.	Dirofilaria immitis (heartworm) Acanthocheilonema dracunculoides Thelazia callipaeda (eyeworm)



## **Testing recommendations for dogs**

• Screening following import or travel, e. g. using the "Travel Profile Southern Europe".

**Please note:** puppies (< 6 months of age) should not be tested for antibodies; instead we recommend direct pathogen detection (PCR) in the case of acute disease.

- **Repeat** *Leishmania* ELISA and dirofilaria testing (*Microfilaria* PCR and *Dirofilaria immitis* antigen) 6 months later.
- In case of **acute clinical signs and symptoms**, direct pathogen detection (PCR) is recommended.

<b>Vector prevention</b> Repel/kill the vector Important: Observe application intervals!		Immunoprophylaxis Licensed immunoprophylactic agents for active immunisation of non-infected dogs as well as to reduce the risk for developing active infection and/or clinical signs after contact with Leishmania infantum.	
	Prophylaxis/Metaphylaxis		
<b>Chemoprophylaxis</b> Treat pathogens that have already been transmitted (e. g. dirofilaria) Important: Observe application interval			<b>Behaviour</b> n locations or times of day should ctive at twilight, the risk of getting ticks is higher during the day.

As of: May 2023, photo credits: Shutterstock